

# WebWorks Publisher 2003

## Tips & Tricks

David Knopf, President  
Knopf Online • San Francisco  
Tel 415.550.8367  
E-mail david@knopf.com  
Web www.knopf.com



WinWriters • Hollywood, CA • March 2004

Welcome

## Why Are We Here?

- Most authoring tools ...
  - Are not integrated with FrameMaker
  - Offer limited support for producing printed materials
  - Do not support true single sourcing
- Many authors ...
  - Write content in FrameMaker
  - Need to provide the same (or similar) content online
- FrameMaker and WebWorks Publisher are best-of-breed tools
- WebWorks Publisher 2003 also brings the power of WebWorks to users of Microsoft Word



© 2002-2004 David A. Knopf, Inc.

2

Welcome

## About the Presenter

- 20+ years in the technical communications field
- 7 years focus on single sourcing solutions
- Designer of structured authoring and XML solutions based on FrameMaker
- Industry certifications:
  - Adobe Certified Expert (FrameMaker)
  - WebWorks Publisher Certified
  - RoboHelp Certified Trainer (1997-2002)
  - RoboHelp MVP (2000-2002)
  - Member, JavaHelp 2.0 Expert Group
- Moderator of the HATT and wwp-users groups on Yahoo

© 2002-2004 David A. Knopf, Inc.

3

Welcome

## Agenda for Today's Session

- Hypertext links
- Converting Notes, cautions, warnings
- Adding Breadcrumbs
- Customizing WebWorks Help
- Incorporating Flash Movies

© 2002-2004 David A. Knopf, Inc.

4

Welcome

## Tools for Today's Session

- FrameMaker 7.1
- WebWorks Publisher Professional 2003
- WebWorks Help 4.0 output

© 2002-2004 David A. Knopf, Inc.

5

Hypertext Links

## HYPertext LINKS

- Goal
  - Links that work in FrameMaker or Word, PDF, and your chosen output format(s)
- Create links in FrameMaker by:
  - Using FrameMaker cross-references OR
  - Combining a character tag and a hypertext marker
- Create links in Word by:
  - Using Word's Insert>Hyperlink command OR
  - Using Word's Insert>Reference>Cross-reference OR
  - Typing a valid URL or e-mail address

© 2002-2004 David A. Knopf, Inc.

6

Hypertext Links

## Link with Cross-references

- Cross-references are automatically converted to hyperlinks in the output
- In Frame, use Special>Cross-Reference
- In Word, use Insert>Reference>Cross-reference
- You control the conversion of these links on the XREFs tab in the Project Properties dialog box
- Simplest, easiest way to create hypertext links

© 2002-2004 David A. Knopf, Inc.

7

Hypertext Links

## Link with Hypertext Links

- In Word, just use Insert>Hyperlink
- To create a link in FrameMaker:
  - Apply a character tag to the link text
  - Insert a hypertext marker within the link text
- Most common types of hypertext markers:
  - Go to URL (a.k.a. message URL)
  - Specify Named Destination (a.k.a. newlink)
  - Jump to Named Destination (a.k.a. gotolink)

© 2002-2004 David A. Knopf, Inc.

8

Hypertext Links

## Link to a Web Site

- In Word, you can just type the URL
- Apply a character tag to the link text
- Within the link text:
  - Insert a "Go to URL" (a.k.a. message URL) marker
  - Use an http URL in the marker text
- Example:
 

```
message URL http://www.knopf.com
```

© 2002-2004 David A. Knopf, Inc.

See Handout

9

Hypertext Links

## Link to an e-mail address

- In Word: just type the e-mail address
- In FrameMaker:
  - Apply a character tag to the link text
  - Within the link text:
    - Insert a "Go to URL" (a.k.a. message URL) marker
    - Use a mailto URL in the marker text
  - Example marker text:
 

```
message URL mailto:info@knopf.com
```

© 2002-2004 David A. Knopf, Inc.

See Handout

10

Hypertext Links

## Link to another location in your document

- In Word: just use Insert>Hyperlink
- In FrameMaker:
  - At the target location, insert a "Specify Named Destination" (a.k.a. newlink) marker
  - Apply a character tag to the link text
  - Within the link text, insert a "Jump to Named Destination" (a.k.a. gotolink) marker
  - Example marker text:
 

```
gotolink contact
newlink contact
```

© 2002-2004 David A. Knopf, Inc.

See Handout

11

Handling Notes

## HANDLING NOTES

- In Word, best practice is to avoid placing notes in tables and instead format them as paragraphs
- Notes in FrameMaker documents are often:
  - Auto-numbered paragraphs
  - Two-column tables
- Notes in output should be:
  - Paragraphs with boldfaced run-in head
  - Two-column tables

© 2002-2004 David A. Knopf, Inc.

12

Handling Notes

## Convert note paragraphs to note paragraphs

- Create a Note style by duplicating BodyRelative
- Add a regular expression to the \$BP80ParaMacroContent building block call in the style macro:  
`$BP80ParaMacroContent["^Note", "<b>Note</b>"];`
- Map the note style in your source documents to the new WebWorks Note style

See Handout

13

© 2002-2004 David A. Kempf, Inc.

Handling Notes

## Convert note paragraphs to two-column tables

- Create a Note style by duplicating BodyRelative
- Embed HTML table markup in the new Note style

See Handout

14

© 2002-2004 David A. Kempf, Inc.

Handling Notes

## Convert note tables to note tables (FrameMaker only)

- Create a table style for your note tables
- Map the cell contents appropriately

See Handout

15

© 2002-2004 David A. Kempf, Inc.

Handling Notes

## Converting note tables to note paragraphs (FrameMaker only)

- Create a table style for your note tables
- Map the cell contents appropriately
- Add a regular expression to the Table macro for the table style you created for your note tables

See Handout


16

© 2002-2004 David A. Kempf, Inc.

Breadcrumbs

## BREADCRUMBS

Breadcrumbs are a navigational device that constantly show the user's position within an information hierarchy



See Handout

17

© 2002-2004 David A. Kempf, Inc.

Breadcrumbs

## Breadcrumbs in four steps

1. Identify your heading hierarchy
2. Map each heading level to a different WebWorks heading style
3. Modify the WebWorks heading styles to define global attributes and output the current breadcrumb trail
4. Add styles to document.css to control the formatting of your breadcrumbs

See Handout

18

© 2002-2004 David A. Kempf, Inc.



## Identify your hierarchy

- What heading levels do you want to include in your breadcrumbs?
- We'll use:  
Chapter Title > Heading 1 > Heading 2

See Handout

19

© 2002-2004 David A. Knight, Inc.



## Map your heading styles

- Map each of the heading styles in your source documents to a different WebWorks style in your project
- We'll use the following mappings:
  - Chapter Title → Title
  - Head1 → Heading1
  - Head2 → Heading2

See Handout

20

© 2002-2004 David A. Knight, Inc.



## Modify WebWorks heading styles [1]

- Modify the Title, Heading1, and Heading2 styles to:
  - Define a global attribute
  - Output a paragraph containing the current breadcrumb trail

See Handout

21

© 2002-2004 David A. Knight, Inc.



## Modify WebWorks heading styles [2]

- Here is the code for the Title style:
 

```
@SET_GLOBAL(Title, \
<a href="$PAGE(html, name);">$DATA;</a>); \
<p class="breadcrumb">$DATA(raw);</p>
@SET_GLOBAL(var_PopupText,
  $BP80ParaMacroBegin;
  $BP80ParaMacroContent;
  $BP80ParaMacroEnd;
); \
\
$BP80Popups_ParaMacro; \
```

See Handout

22

© 2002-2004 David A. Knight, Inc.



## Modify WebWorks heading styles [3]

- Here is the code for the Heading1 style:
 

```
@SET_GLOBAL(Heading1, \
<a href="$PAGE(html, name);">$DATA;</a>); \
<p class="breadcrumb">$SET_GLOBAL(Title); \
&gt; $DATA(raw);</p>
$BP80ExpandingText_End; \
\
@SET_GLOBAL(var_PopupText,
  $BP80ParaMacroBegin;
  $BP80ParaMacroContent;
  $BP80ParaMacroEnd;
); \
\
$BP80Popups_ParaMacro; \
```

See Handout

23

© 2002-2004 David A. Knight, Inc.



## Modify the document.css file

- Add a class definition to control the format of your breadcrumbs. For example:
 

```
.breadcrumb {
  font-family: Arial, Helvetica, sans-serif;
  font-size: 12px;
  background: #E0FFFF;
  padding: 8px 8px 8px 8px;
}
```

See Handout

24

© 2002-2004 David A. Knight, Inc.

WebWorks Help

## CUSTOMIZING WEBWORKS HELP

- Adding a title to the navbar
- Removing the splash screen

© 2002-2004 David A. Knopf, Inc.

25

WebWorks Help

## Adding a title to the navbar

- Edit the title.htm file in your project's Support\wwhelp\wwhimpl\common\html directory
- Enclose your title between <p> and </p> tags just after the <body> tag

See Handout

© 2002-2004 David A. Knopf, Inc.

26

WebWorks Help

## Removing the splash screen

- Delete your project's Output directory
- Add a Filename marker/WebWorks field at the beginning of the first source file in your project; use first as the marker text/field value
- Edit default.htm in your project's Support\wwhelp\wwhimpl\common\html directory
- Delete the reference to splash.jpg:
 

```

```
- Add a <meta> tag in the <head> section that redirects to the first output page:
 

```
<meta http-equiv="refresh"
      content="0;URL=../../../first.html"
```

See Handout

© 2002-2004 David A. Knopf, Inc.

27

Flash Movies

## FLASH

- Flash is animation technology from Macromedia
- Flash movies are stored in .swf files and can be created with Macromedia Flash, ViewletBuilder, RoboDemo, Camtasia, and others
- There are many ways to include Flash movies in WebWorks projects

© 2002-2004 David A. Knopf, Inc.

28

Flash Movies

## Embed Flash information in your source documents

1. Use three markers (in FrameMaker) or WebWorks fields (in Word) to store metadata about the movies:
  - MovieName
  - MovieWidth
  - MovieHeight
2. Use a character style to
  - Write a container HTML file for each Flash movie
  - Create a link to the container file

See Handout

© 2002-2004 David A. Knopf, Inc.

29

Flash Movies

## Set up your WebWorks project

3. Create three marker styles:
  - MovieName
  - MovieWidth
  - MovieHeight
4. Create one character style
  - LinkMovie
5. Verify the mappings
6. Copy the movie (.swf) files to the Support directory
7. Generate your output

See Handout

© 2002-2004 David A. Knopf, Inc.

30

# Questions & Answers



© 2010-2011 David A. Knopf, Inc.

# WebWorks Publisher 2003 Tips & Tricks

## Supplemental Handout


### Slide 9 Link to a Web Site

Notes

#### *In FrameMaker*

Use a character tag and a “Go to URL” hypertext marker.


- 1 Apply a character tag to the link text.
- 2 Click somewhere within the link text.
- 3 Choose **Special** ▶ **Hypertext**.
- 4 From the **Command** list, choose **Go to URL**.
- 5 After the text `message URL` that appears in the text box, type an http URL, as shown in the following illustration:



- 6 Click **New Hypertext Marker** to insert the new marker.

#### *In Microsoft Word*

- Type a valid URL. Word automatically formats it as a hyperlink.




## Slide 10 Link to an E-mail Address

### In FrameMaker

Use a character tag and a “Go to URL” hypertext marker.


- 1 Apply a character tag to the link text.
- 2 Click somewhere within the link text.
- 3 Choose **Special ▶ Hypertext**.
- 4 From the **Command** list, choose **Go to URL**.
- 5 After the text `message URL` that appears in the text box, type a `mailto` URL, as shown in the following illustration:



- 6 Click **New Hypertext Marker** to insert the new marker.

### In Microsoft Word

- Type a valid e-mail address. Word automatically formats it as a hyperlink.




## Slide 11 Link to another location in your document set


### In FrameMaker

Use a character tag along with “Specify Named Destination” and “Jump to Named Destination” hypertext markers.

- 1 Set up the link target:
  - a Click at the link target location.
  - b Choose **Special ▶ Hypertext**.
  - c From the **Command** list, choose **Specify Named Destination**.
  - d After the text `newlink` that appears in the text box, type a unique name for the target location, as shown in the following illustration:



- e Click **New Hypertext Marker** to insert the new marker.
- 2 Create the hypertext link itself:
  - a Select the link text and apply a character tag to it.
  - b Click somewhere within the link text.
  - c Choose **Special ▶ Hypertext**.
  - d From the Command list, choose **Jump to Named Destination**.
  - e After the text `gotolink` that appears in the text box, type the unique name you assigned to the target location, as shown in the following illustration:



- f Click **New Hypertext Marker** to insert the new marker.

### In Microsoft Word

- 1 Choose **Insert ▶ Hyperlink**.
- 2 Under **Link to**, choose **Place in This Document**.
- 3 Choose a destination.
- 4 Click **OK**.

### Slide 13 Convert note paragraphs to note paragraphs

In the paragraph style you use for note paragraphs, add a regular expression to the \$BP80ParaMacroContent building block call. The steps are the same whether you use Word or FrameMaker.

- 1 In the Style Designer, duplicate the BodyRelative paragraph style, naming the duplicate Note.
- 2 Modify the macro for the Note style by adding a regular expression like the one shown here in bold:

```
@SET_GLOBAL(var_PopupText,
  $BP80ParaMacroBegin;
  $BP80ParaMacroContent["^Note: ", "<b>Note: </b>"];
  $BP80ParaMacroEnd;
); \
\
$BP80Popups_ParaMacro; \
```

This regular expression finds every occurrence, at the beginning of a line, of the word “Note” followed by a colon (the autonumber specified for the Note tag in FrameMaker) and converts it to the HTML code, <b>Note: </b>, which displays the word Note in bold.

- 3 Map your FrameMaker or Word paragraph style for notes to the new WebWorks Note style.

**Note:** The syntax of the regular expression you should use depends on the exact definition of your paragraph style for notes. The example assumes a FrameMaker paragraph tag with an autonumber format consisting of the word “Note” followed by a colon, or a Word paragraph style applied to paragraph that begins with the word “Note” followed by a colon. If your note paragraphs use a different format, you will have to modify the regular expression to account for the actual format.

### Slide 14 Convert note paragraphs to two-column tables

Create a paragraph style that emits the appropriate HTML table code. The steps are the same whether you use Word or FrameMaker.

- 1 In the Style Designer, duplicate the BodyRelative paragraph style, naming the duplicate Note.
- 2 On the Basic subtab for the Note style, type `table` in the Markup Tag box.

Setting the Markup Tag to table causes WebWorks to wrap the output from this style between <table> and </table> tags. The code that goes between these two tags is generated by the style macro itself.

- 3 Replace the macro for the Note style with something like this:

```
@SET_GLOBAL(var_PopupText,
  $BP80ParaMacroBegin;
  <tr valign="top">
    <td>
      <b>Note</b>
    </td>
    <td>
      $BP80ParaMacroContent;
  </tr>
```

```

        </td>
    </tr>
    $BP80ParaMacroEnd;
); \
\
$BP80Popups_ParaMacro; \

```

If you want to include a note icon instead of the word “Note,” use a macro something like this instead of the one shown above:

```

@SET_GLOBAL(var_PopupText,
    $BP80ParaMacroBegin;
    <tr valign="top">
        <td>
            
        </td>
        <td>
            $BP80ParaMacroContent;
        </td>
    </tr>
    $BP80ParaMacroEnd;
); \
\
$BP80Popups_ParaMacro; \

```

If you use a note icon, be sure to place the image file (note.gif in this example) in your project’s Support/images directory.

**Note:** Both of the above examples produce HTML with a simple <table> tag with no attributes, like this:

```
<table>
```

If you want to add attributes to the table tag—for example, width, border, or cellpadding—add a regular expression to the \$BP80ParaMacroBegin building block, like this:

```

@SET_GLOBAL(var_PopupText,
    $BP80ParaMacroBegin["<table ", "<table width=\"80%\"
    border=\"0\" cellpadding=\"5\""];
    <tr valign="top">
        <td>
            
        </td>
        <td>
            $BP70ParaMacroContent;
        </td>
    </tr>
    $BP80ParaMacroEnd;
); \
\
$BP80Popups_ParaMacro; \

```

## Notes

### Slide 15 Convert note tables to note tables

Create a table style in WebWorks for your note tables. This procedure works only with FrameMaker.

- 1 In the Style Designer, duplicate the Default table style and name the duplicate NoteTable. Assign style properties to the NoteTable style as you wish.
- 2 In the Project Properties dialog box, do the following:
  - a Map the FrameMaker table style for your note tables to the WebWorks NoteTable style.
  - b Map the style for the left cell of your note tables (NoteInTable in the presentation example) to Body.
  - c If a character style has been applied to the word "Note," map the character style to Bold.

### Slide 16 Convert note tables to note paragraphs

Create a table style in WebWorks for your note tables; modify the table style so that it looks like a paragraph. This procedure works only with FrameMaker.

- 1 In the Style Designer, duplicate the Default table style and name the duplicate NoteTablePara.
- 2 In the Project Properties dialog box:
  - a Map the FrameMaker style for your note tables to the NoteTablePara style.
  - b Map the paragraph style for the left cell of your note tables (NoteInTable in the presentation example) to NoOutput.
- 3 In the Style Designer, add a regular expression to the Table Macro for the NoteTablePara table style, like this:

```
$BP80TableMacro["<td>&#160;</td>", ""][ "<div  
class=\"pCellBody\">", "<div  
class=\"pCellBody\"><b>Note:</b>"];
```

## Slides 17ff Create breadcrumbs for a project

Determine which heading levels you want to include in your breadcrumbs, ensure that the styles for these headings are mapped to unique WebWorks styles, customize the heading styles in WebWorks or WordHelp, and finally define a CSS class for your breadcrumbs in your project's `document.css` file. The steps are the same whether you use Word or FrameMaker.

- 1 Determine which levels of headings you want to include in your breadcrumbs. Typically, you will include each heading in your hierarchy that you have mapped to start a new output page. For example, if you start a new page for each ChapterTitle, Heading1, and Heading2 paragraph, you typically include these three heading levels in your breadcrumbs.
- 2 Ensure that each of the heading styles in your source documents is mapped to a unique WebWorks style. For example, map your top level heading style to Title, your second level heading style to Heading1, your third level heading style to Heading2, and so forth.

**Note:** This example assumes you want to include three levels in your breadcrumbs, using the following source and WebWorks styles:

These source styles are mapped to...	These WebWorks styles
Chap Title	Title
Heading 1	Heading1
Heading2	Heading2

- 3 In your WebWorks project, open the Style Designer and make the following modifications to the definitions of the Title, Heading1, and Heading2 styles.
  - a Modify the macro for the Title style to read as follows:

```
@SET_GLOBAL(Title,\  
<a href="$PAGE(html,name);">$DATA;</a>);\  
<p class="breadcrumb">$DATA(raw);</p>  
@SET_GLOBAL(var_PopupText,  
  $BP80ParaMacroBegin;  
  $BP80ParaMacroContent;  
  $BP80ParaMacroEnd;  
);\  
\  
$BP80Popups_ParaMacro;\  
\
```

- b Modify the macro for the Heading1 style to read as follows:

```
@SET_GLOBAL(Heading1,\  
<a href="$PAGE(html,name);">$DATA;</a>);\  
<p class="breadcrumb">$GET_GLOBAL(Title);\  
&gt; $DATA(raw);</p>  
$BP80ExpandingText_End;\  
\
```

## Notes

```
@SET_GLOBAL(var_PopupText,
  $BP80ParaMacroBegin;
  $BP80ParaMacroContent;
  $BP80ParaMacroEnd;
);\
\
$BP80Popups_ParaMacro;\
```

- c Modify the macro for the Heading2 style to read as follows:

```
@SET_GLOBAL(Heading2,\
<a href="$PAGE(html,name);">$DATA;</a>);\
<p class="breadcrumb">$GET_GLOBAL(Title);\
  &gt; $GET_GLOBAL(Heading1); &gt; $DATA(raw);</p>
$BP80ExpandingText_End;\
\
@SET_GLOBAL(var_PopupText,
  $BP80ParaMacroBegin;
  $BP80ParaMacroContent;
  $BP80ParaMacroEnd;
);\
\
$BP80Popups_ParaMacro;\
```

- 4 Open the `document.css` file in your project's Support directory, and locate the following code:

```
/* Default style */
body
{
  background-color: #FFFFFF;
}
```

- 5 Just below this block of code, using standard CSS syntax, add a definition for the "breadcrumb" class. For example, you might add CSS code like this:

```
.breadcrumb {
  font-family: Arial, Helvetica, sans-serif;
  font-size: 12px;
  background: #E0FFFF;
  padding: 8px 8px 8px 8px;
}
```

- 6 Save and close the `document.css` file.  
7 Generate your output.

## Slide 26 Add a title to the navbar in WebWorks Help 4.0

Edit one of the support files to include your title and specify formatting characteristics.

- 1 Using your preferred HTML editor or text editor, open the `title.htm` file in your project's `Support\wwhelp\wwhimpl\common\html` directory.
- 2 Just after the `<body>` tag, add your title, enclosed between `<p>` and `</p>` tags. You can include a `style` attribute in the `<p>` tag to control the appearance of your title. To prevent a long title from wrapping, you can use the `&nbsp;` HTML entity instead of pressing the space bar. In the following example, the added code is shown in boldface:

```
<body bgcolor="#FFFFFF" background="../images/
divider.gif" leftmargin="2" rightmargin="2"
topmargin="2" bottommargin="0" marginwidth="2"
marginheight="2" onLoad="WWHTitleFrame_HandleLoad();"
onKeyDown="WWHTitleFrame_HandleKeyDown((document.all||d
ocument.getElementById|document.layers)?event:null);"
onKeyPress="WWHTitleFrame_HandleKeyPress((document.all|
|document.getElementById|document.layers)?event:null);
"
onKeyUp="WWHTitleFrame_HandleKeyUp((document.all||docum
ent.getElementById|document.layers)?event:null);">
  <p style="color: white; font-weight: bold; text-align:
center; font-family: Arial, Helvetica, sans-serif;
font-size: 12px; margin-top:
6px">Your Title Here</p>
</body>
```

- 3 Save and close the `title.htm` file.
- 4 Generate your output.

## Slide 27 Remove the splash screen in WebWorks Help 4.0

Add a Filename marker (if you use FrameMaker) or a WebWorks field (if you use Word) in your source documents, and then edit one of the support files to remove the reference to the splash screen graphic and to add a `<meta>` tag.

- 1 In WebWorks Publisher or WordHelp, double-click the first document listed under **Source + Generated Files** on the Files tab in the project window.
- 2 In the first paragraph of the document, do one of the following:
  - If you are using FrameMaker, insert a Filename marker and, as the marker text, type `first`
  - If you are using Microsoft Word, insert a Filename WebWorks field and, as the field value, type `first`
- 3 Using your preferred HTML editor or text editor, open the `default.htm` file in your project's `Support/wwhelp/wwhimpl/common/html` directory.
- 4 Locate and delete the following code:

```

```

## Notes

- 5 Toward the top of the file, locate the following code:

```
<head>
  <meta http-equiv="content-type" content="text/html">
  <meta http-equiv="charset" content="UTF-8">
```

- 6 Add the following code after the two <meta> tags shown above:

```
<meta http-equiv="refresh" content="0;URL=../../../../
first.html">
```

- 7 Save and close the default.htm file.

- 8 Generate your output.

### Slide 29ff Add Flash Movies in WebWorks Help 4.0

Add a character style, along with three unique markers (if you use FrameMaker) or WebWorks fields (if you use Word) in your source documents, then create corresponding character and marker styles in your WebWorks project.

- 1 In your source documents, define the following elements:
  - a Define three marker types (for FrameMaker) or WebWorks fields (for Word), naming them MovieName, MovieHeight, and MovieWidth.
  - b Define a character style named LinkMovie.
- 2 To include a link to a Flash movie in your source documents, do the following:
  - a Type the link text.
  - b Apply the LinkMovie character style to the link text.
  - c Within the link text, insert an MovieName marker/field using the name of the .swf file as the marker text or field value, an MovieWidth marker/field using the width in pixels as the marker text or field value, and an Movie-Height marker/field using the height in pixels as the marker text or field value.
- 3 In your WebWorks project, add the following marker styles:
  - MovieName:
 

```
@SET_ATTR(MovieName,$DATA(row)[ ".swf", "" ]);;
```
  - MovieWidth:
 

```
@SET_ATTR(MovieWidth,$DATA(row)[ "[ ]*", "" ]);;
```
  - MovieHeight:
 

```
@SET_ATTR(MovieHeight,$DATA(row)[ "[ ]*", "" ]);;
```

- 4 In your WebWorks project, add a character style named LinkMovie with the following style macro:

```
@WRITE(overwrite, host,
$OUTPUTDIR;$SEP;$GET_ATTR($PAGE;,MovieName);.html,
<?xml version="1.0" encoding="$CHARSET;"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//FR"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"><html
xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">

<html>

<head>
  <title>Show Me!</title>
  <meta http-equiv="Content-Type" content="text/html;
charset=windows-1252" />
  <meta http-equiv="Content-Style-Type" content="text/css" />
</head>

<body bgcolor="#3a6ea5" leftmargin="0" rightmargin="0"
topmargin="0">

  <div style="text-align: center">
    <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
    codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/
swflash.cab#version=5,0,0,0"
    width="$GET_ATTR($PAGE;, MovieWidth);"
    height="$GET_ATTR($PAGE;, MovieHeight);">
    <param name="movie" value="$GET_ATTR($PAGE;, MovieName);.swf">
    <param name="quality" value="high">
    <param name="bgcolor" value="#ffffff">
    <embed
      src="$GET_ATTR($PAGE;, MovieName);.swf"
      quality="high"
      bgcolor="#ffffff"
      width="$GET_ATTR($PAGE;, MovieWidth);"
      height="$GET_ATTR($PAGE;, MovieHeight);"
      type="application/x-shockwave-flash"
      pluginspage="http://www.macromedia.com/shockwave/download/
index.cgi?P1_Prod_Version=ShockwaveFlash">
    </embed>
  </object>
</div>

</body>

</html>
);
<a href="javascript:void('0');"
onClick="javascript:window.open('$GET_ATTR($PAGE;,MovieName);.html',\
'Module1','top=0,left=0,width=$GET_ATTR($PAGE;, MovieWidth);,\
height=$GET_ATTR($PAGE;, MovieHeight);,\
location=0,scrollbars=0,toolbars=0');">$DATA;</a>
```

Notes

---